Name_____

Please read all the questions VERY carefully before answering. If you do not understand any
question, please ask. Use the reverse side of the question paper as scratch. Use the periodic table
and constant chart in the last page. No outside paper is allowed. Total points = 71+(28x3=)84=155

SHORT ANSWER. Please write the set-up equation first, then insert the raw data with units in the equation before doing your calculations. Points will be deducted if your answer is not clear.

1) Calculate the number of atoms in 15.6 grams of silicon. (6 pts.)	1)
---	----

2) Calculate the number of atoms in 39.7 g oxygen gas (Note the formula of Oxygen).
2) (6 pts.)

3) Calculate the amount (in grams) of phosphorous in a 15.5 gram sample of 3) ______ diphosphorous pentoxide. (10 pts.)

5) An acid has 40% C, 6.7% H, 53.3% O and its molar mass is 60.05 g/mol. Show your 5) _____ calculation to find the molecular formula of the acid? (10 pts.)

6) In the reaction between Fe₂O₃ (s) and AI (s) to produce Fe (s) and AI₂O₃ (s), 23.5 g of Fe₂O₃ was reacted with 13.2 g of AI. (a) Show all your calculations to find out the limiting reagent (Hint: You may want to balance the reaction first) (8 pts.)

6)

(b) Calculate the amount (in grams) of the reagent that remained unreacted (6 pts.)

7) In separating a mixture of sand and salt, a student had with following data:

- (a) 1.11 g salt (b) 1.11 g sand
- (b) 1.11 g sand

(c) The mass of an empty beaker where he would collect the salt sample = 71.60 g

- (d) The mass of the beaker with the dry salt residue = 72.61 g
- (e) The mass of a empty watch glass + clean filter paper = 43.45 g
- (f) The mass of a the watch glass + filter paper + dry sand = 44.55 g

Show all your calculations to find out the (1) the % recovery of salt (4 pts.) and (2) the % recovery of sand (4 pts.).

8) (a) Calculate how many grams of magnesium sulfate is in 31.8 grams of its hydrate salt . The hydrate salt contains 51.1% water by weight. (3 pts.)

9) Write the formula for (2 pts. each; Total 4 pts.):

(a) Ammonium phosphate:

(b) Calcium Sulfate:

9)

8) _____

MULTIPLE CHOICE. On scantron, answer the questions starting from number 10. Choose the one alternative that best completes the statement or answers the question. (3 poins each)

10) The phosphorous-to-hydrogen mass ratio is 10.2 for a compound. This ratio could correspond	10)
to the compound	
R) PH2	
D) PH	
E) none of the above	
11) How many of each type of atom are there in the formula (NH4)2HPO4?	11)
A) N = 2, H = 5, P = 1, O = 4	
B) N = 2, H = 9, P = 1, O = 4	
C) N = 1, H = 5, P = 1, O = 4	
D) N = 2, H = 8, P = 1, O = 4	
E) none of the above	
12) Which among the following elements does NOT exist as a diatomic molecule in nature?	12)
A) nitrogen	,
B) fluorine	
C) hydrogen	
D) neon	
E) none of the above	
13) Carbon monoxide is considered which of the following?	13)
A) atomic element	·
B) molecular compound	
C) molecular element	
D) ionic compound	
E) none of the above	
14) What is the formula for an ionic compound made of barium and nitrogen?	14)
A) Ba ₂ N ₃	·
B) BaN	
C) Ba ₃ N ₂	
D) Ba_2N_4	
E) none of the above	
15) What is the name of the compound made from lithium and oxygen?	15)
A) lithium(I) oxide	
B) oxygen lithide	
C) lithium dioxide	
D) lithium oxide	

E) none of the above

 16) What is the name of A) disodium oxi B) sodium oxide C) sodium mono D) disodium mono E) none of the algorithm o	of the compound de e oxide noxide bove	d whose formula is	Na ₂ O?		16)
 17) What is the formu A) 101.10 amu B) 92.99 amu C) 85.11 amu D) 117.11 amu E) none of the al 	la mass for potas	ssium nitrate?			17)
18) You have 10.0 g ea A) Ne	ch of Na, C, Pb, B) Na	Cu and Ne. Which C) Pb	contains the smalle D) C	est number of moles? E) Cu	18)
19) How many moles A) 19.2 B) 12.8 C) 16 D) 22.4 E) none of the al	of fluorine are ir bove	n 3.2 moles of xeno	n hexafluoride?		19)
20) Determine the emp oxygen. A) MgO2 B) MgO C) Mg2O3 D) Mg2O E) none of the al	oirical formula c bove	of a compound cont	aining 60.3% magr	nesium and 39.7%	20)
21) What is the value of 205.4 g/mol? A) 10 B) 5 C) 0.02 D) 140	of n when the en	npirical formula is	C3H5 and the mole	ecular mass is	21)

E) none of the above

22) What are the coefficients for the following reaction when it is properly balanced?	22)
potassium iodide +lead (II) acetate \rightarrow lead (II) iodide +potassium acetate	
A) 2, 1, 1, 1 B) 2, 1, 1, 2 C) 1, 1, 2, 2 D) 3, 2, 2, 1	
E) none of the above	
23) When the equation $_Ca_3N_2 + _H_2O \rightarrow _Ca(OH)_2 + _NH_3$ is balanced, the coefficient of	23)
H ₂ O is:	
A) 3	
B) 6	
C) 12	
D) 2 E) pope of the above	
E) Home of the above	
24) All of the following compounds are soluble in water EXCEPT	24)
A) $FeCI_{3.}$ B) $NH_4CI.$ C) $PbCI_{2.}$ D) $CaCI_{2.}$ E) $NaCI.$,
 25) If you had an aqueous mixture that contained Ag⁺, K⁺, and Pb⁺² cations, how many different solids could precipitate if a chloride solution was added? A) 2 B) no solids will precipitate C) 4 D) 1 E) 3 	25)
26) What type of reaction is the generic equation AB \rightarrow A + B?	26)
 A) double-displacement B) single displacement C) decomposition D) synthesis/combination E) none of the above 	
27) How many moles of chlorine gas are needed to make 0.6 moles of sodium chloride?	27)
Given the reaction: $2Na + Cl_2 \rightarrow 2NaCl$	
A) 0.6	
B) 3.6	
D) 1.2 E) not anough information	

E) not enough information

28) Suppose two chemical reactions are linked together in a way that the O ₂ produced in the first reaction goes on to react completely with Mg to form MgO in the second reaction. Reaction one: $2 \text{ KCIO}_3 \rightarrow 3 \text{ O}_2 + 2 \text{ KCI}$	28)
Reaction two: 2 Mg + $O_2 \rightarrow 2$ MgO	
If you start with 4 moles of KClO ₃ , how many moles of MgO could eventually form?	
A) 12 moles	
B) 2 moles	
C) 4 moles	
D) 6 moles	
E) none of the above	
29) How many grams of sodium metal are needed to make 29.3 grams of sodium chloride? Given the reaction: 2Na + Cl ₂ \rightarrow 2NaCl	29)
A) 5.75	
B) 11.5	
C) 46.0	
D) 23.0	
E) not enough information	
30) Many metals react with halogens to give metal halides. For example, 2 AI (s) + 3 CI ₂ (g) \rightarrow 2 AICI ₃ (s)	30)
If you begin with 13.5 g of aluminum,	
A) you will need 11.8 g Cl ₂ for complete reaction and will produce 49.0 g of AlCl _{3.}	
B) you will need 23.6 g Cl ₂ for complete reaction and will produce 66.7 g of AlCl _{3.}	
C) you will need 53.2 g Cl ₂ for complete reaction and will produce 66.7 g of AlCl _{3.}	
D) you will need 26.6 g Cl ₂ for complete reaction and will produce 49.0 g of AlCl _{3.}	
E) none of the above	
31) What is the theoretical yield of waffles if you have 6 cups of flour, 9 eggs and 2 tbs of oil? Given: 2 cups flour + 3 eggs + 1 tbs oil \rightarrow 4 waffles	31)
A) 8	
B) 10	
C) 12	
D) 4	
E) not enough information	
32) What is the theoretical yield of a reaction if 25.0 grams of product were actually produced	32)
from a reaction that has a 88% yield?	
A) 352	
B) 28.4	
C) 22.0	
D) 3.52	
E) none of the above	

TRUE/FALSE. On scantron, choose "A" for a true answer and "B" for wrong answer. (3 points each)	
33) The correct formula for calcium fluoride is CaF_3 .	33)
34) One mole of I ₂ has more atoms in it than one mole of Na.	34)
35) The theoretical yield is the amount of each reactant needed in order to make the maximum amount of product.	35)
36) The actual yield is the same as the theoretical yield if the reaction goes to completion and there is no loss of product.	36)
37) The limiting reactant determines what the actual yield is.	37)