Please read all the questions VERY carefully before answering. If you do not understand any question, please ask. Use the reverse side of the question paper as scratch. Use the periodic table and constant chart in the last page. No outside paper is allowed. Total points = 34+(27x3=)81=115		
SHORT ANSWER. Please write the set-up equation and insert the raw data with units in the equation before doing your calculations. Write the word or phrase that best completes each statement or answers the question.		
1) Calculate the mass (in grams) of $1.56 \times 10^{21}$ atoms of magnesium. (6 pts.)	1)	

2) Calculate how many grams of HNO3 is produced when 2.0 moles of NO2 reacts with water in the following reaction:  $H_2O(I) + 3 NO_2 - - > NO(g) + 2 HNO_3(aq) (6 pts.)$ 

2)

- 3) Use a noble gas core to draw the ground state electron configuration for (4 pts./each; Total 3) = 8 pts.) (a) Vanadium (V; Z=23):
  - (b) Bromine (Br, Z=35)

Given the following isotope symbol, circle the element it represents in the 4) 4) choices (3 pts.). (c) P (a) Ge (b) Cl (d) Ag (e) Xe Circle the best choice among the following elements that has the largest 5) 5) atomic radius (3 pts.). (a) Cl (c) Mg (d) Na (b) Si (e) S A sample of gas in an expandable container is heated from 200 K to 400K 6) 6) while maintaining constant pressure. If the starting volume was 1.0 liter, what volume after heating? Circle the best possible choice (4 pts.). (a) 1.0 liters (b) 2.0 liters (c) 0.5 liters (d) 1.5 liters (e) 2.5 liters

7) \_\_\_\_

How many moles of NaCl (aq) will be produced when 3.5 moles of
 Na<sub>2</sub>CO<sub>3</sub>(s) react according to the given balanced chemical reaction?

Circle the best possible choice. (4 pts.).

 $Na_2CO_3(s) + 2 HCl (aq) \rightarrow CO_2(g) + H_2O(l) + 2 NaCl(aq)$ 

- (a) 3.5 moles (b) 2.0 moles (c) 7.0 moles
- (d) 1.0 mole (e) 1.8 moles

MULTIPLE CHOICE. On scantron, fill up the circles of the same number as that of the question number. Choose the one alternative that best completes the statement or answers the question. (3 poins each)

8) Determine the answer to the following equation with correct number of significant figures: (17.103 + 2.03) × 1.02521 =	8)
A) 20	
B) 19.6	
C) 19.6153	
D) 19.62	
E) none of the above	
9) An atom that has the same number of neutrons as $\frac{138}{56}$ Ba is:	9)
A) <sup>136</sup> <sub>54</sub> Xe	
B) $\frac{138}{55}$ Cs	
C) 136 Pc	
C) <sup>136</sup> <sub>56</sub> Ba	
D) <sup>137</sup> La 57	
E) none of the above	
10) What is the formula mass of copper(11) fluoride?	10)
A) 146.10	
B) 165.10	
C) 101.55	
D) 90.00	
E) none of the above	
11) How many atoms are in 5.80 moles of He?	11)
A) 1.03 × 10 <sup>23</sup>	
B) 3.49 × 10 <sup>24</sup>	
C) 6.02 × 10 <sup>23</sup>	
D) 4.00	
E) none of the above	
2) What is the mass percent of chlorine in hydrochloric acid?	12)
A) 70.1	
B) 2.8	
C) 35.5	
D) 97.2	
E) none of the above	
13) The elements with the highest electronegativity values tend to be found in the:	13)
A) upper left-side of the periodic table.	
B) center of the periodic table.	
C) lower right-side of the periodic table.	
D) lower left-side of the periodic table.	

E) upper right-side of the periodic table.

14) Considering the following precipitation reaction:	14)
$Pb(NO_3)_2(aq) + 2KI(aq) \rightarrow PbI_2(s) + 2KNO_3(aq)$	
What is the correct net ionic equation? A) $Pb^{2+} + I_2^- \rightarrow PbI_2(s)$	
B) Pb <sup>2+</sup> + 2NO <sub>3</sub> <sup>−</sup> + 2K <sup>+</sup> + 2I <sup>−</sup> →PbI <sub>2</sub> (s) + 2K <sup>+</sup> + 2NO <sub>3</sub> <sup>−</sup>	
C) $2NO_3^- + 2K^+ \rightarrow 2KNO_3$	
D) $Pb^{2+} + 2I^- \rightarrow PbI_2(s)$	
E) none of the above	
<ul> <li>15) What is the theoretical yield of waffles if you have 5 cups of flour, 9 eggs and 3 tbs of Given: 2 cups flour + 3 eggs + 1 tbs oil →4 waffles</li> <li>A) 6</li> <li>B) 4</li> <li>C) 10</li> <li>D) 12</li> <li>E) not enough information</li> </ul>	f oil? 15)
16) Which color of the visible spectrum has photons with the most energy? A) green B) red C) yellow D) orange	16) E) violet
<ul> <li>17) The n = principal shell is the lowest that may contain a d-subshell.</li> <li>A) 4</li> <li>B) 1</li> <li>C) 2</li> <li>D) 3</li> <li>E) not enough information</li> </ul>	17)
<ul> <li>18) What is the electron configuration for P?</li> <li>A) [Ar]3s<sup>2</sup>3p<sup>3</sup></li> <li>B) [Ne]1s<sup>2</sup>1p<sup>6</sup>2s<sup>2</sup>2p<sup>3</sup></li> <li>C) [Ar]3s<sup>2</sup>3p<sup>6</sup>4s<sup>2</sup>3d<sup>10</sup>4p<sup>3</sup></li> </ul>	18)
D) [Ne]3s <sup>2</sup> 3p <sup>3</sup> E) none of the above	
<ul> <li>19) Which of the following elements has the electron configuration of 3s<sup>2</sup>3p<sup>4</sup> in its outer A) S</li> <li>B) Si</li> <li>C) AI</li> <li>D) CI</li> </ul>	most shell? 19)
F) none of the above	

E) none of the above

<ul> <li>20) A 3.76 g sample of a noble gas is stored in a 2.00 L vessel at 874 torr and 25°C. What is the noble gas' (R= 0.0821 L atm/ mol K)</li> <li>A) He</li> <li>B) Ne</li> <li>C) Ar</li> <li>D) Kr</li> <li>E) not enough information</li> </ul>	20)
<ul> <li>21) The vapor pressure of water at 20.0°C is 17.5 mm Hg. If the pressure of a gas collected over water was measured to be 453.0 mm Hg. What is the pressure of the pure gas?</li> <li>A) 0.0230 atm</li> <li>B) 0.596 atm</li> <li>C) 0.619 atm</li> <li>D) 0.573 atm</li> <li>E) none of the above</li> </ul>	21)
<ul> <li>22) When you make ice cubes:</li> <li>A) the heat of vaporization must be removed.</li> <li>B) the process is referred to scientifically as sublimation.</li> <li>C) it is an endothermic process.</li> <li>D) it is an exothermic process.</li> <li>E) none of the above</li> </ul>	22)
<ul> <li>23) A 250 gram sample of water at the boiling point had 45.0 kJ of heat added. How many grams of water were vaporized? Heat of vaporization for water is 40.6 kJ/mole.</li> <li>A) 20.0</li> <li>B) 1.11</li> <li>C) 0.902</li> <li>D) 16.2</li> <li>E) none of the above</li> </ul>	23)
<ul> <li>24) Which statement is TRUE in describing what occurs when a solid melts to a liquid?</li> <li>A) The process is exothermic and the heat of fusion is positive.</li> <li>B) The process is endothermic and the heat of fusion is negative.</li> <li>C) The process is endothermic and the heat of fusion is positive.</li> <li>D) The process is exothermic and the heat of fusion is negative.</li> </ul>	24)

E) not enough information

25) What is the correct Lewis structure for water?

A) H= Ö =H 	
B) H-: O :- H	
C) : H - O - H :	
D) H- O -H	
E) none of the above	
<ul> <li>26) What is the mass percent of an ammonium carbonate solution prepared by dissolving 33.2 grams of solid into 39.5 grams of water?</li> <li>A) 45.7%</li> <li>B) 72.7%</li> </ul>	26)
C) 84.1%	
D) 54.3% E) none of the above	
<ul> <li>27) What is the molarity of a solution prepared by dissolving 10.7 g Nal in 0.250 L?</li> <li>A) 2.86 × 10<sup>-4</sup></li> <li>B) 0.0714</li> <li>C) 42.8</li> <li>D) 0.286</li> <li>E) none of the above</li> </ul>	27)
TRUE/FALSE. On scantron, choose "A" for a true answer and "B" for wrong answer. (3 points each)	
28) Zeros located after a number and after a decimal point are significant.	28)
29) Protons and neutrons have similar masses and similar electrical charges.	29)
30) One mole of chlorine gas has a mass of 35.45 grams.	30)
31) The conversion factor for pressure is $1 \text{ mm Hg} = 1 \text{ atm.}$	31)
32) A saturated solution holds the maximum amount of solute under the solution conditions.	32)
33) The Lewis structure for O <sub>2</sub> contains a triple bond.	33)
34) The minor component in a solution is called the solvent.	34)

25)